

Material Safety Data



Section 1. Chemical Product and Company Identification

Product Name: Adhesive coated vinyl film
Spec Code:
Product Use: Adhesive coated vinyl film for use in graphics applications

Manufacturer: Avery Dennison
250 Chester Street #6
Painesville Ohio 44077
440 358 3000 (M-Friday 8 am to 5 pm)
440 357 4712

<u>HMIS Hazard Rating</u>	
Health	0
Flammability	1
Reactivity	0

Emergency Phone Number: 800.535.5053

Information Contacts:
For technical information contact your technical sales representative.

Section 2. Composition/Information on Ingredients

Components*	CAS No.	% by Wt	Exposure Limits
Plastic film	--	50-75	NE
Paper liner		20-30	NE
Adhesive		10-20	NE

NE= Not established

OSHA REGULATORY STATUS:

While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of the product.

Section 3. Hazards Identification

EMERGENCY OVERVIEW

Solid roll of adhesive-coated plastic film with paper liner. Variety of colors. No significant hazards are expected following routine handling of this product at room temperature. Avoid breathing vapors or fumes when handling at elevated temperatures. Decomposition products may be harmful

Potential Health Effects

Note: Because of its physical form, this product is not expected present a significant health hazard at room temperature. Hazardous fumes and vapors may be produced by combustion and may be produced by decomposition during some application elevated temperatures; however, the exact nature and composition have not been determined, but may include the following: plastic monomers, solvents, hydrogen chloride, metal oxides, carbon monoxide, carbon dioxide, and traces of incompletely burned products. Follow all handling precautions outlined in this MSDS, and work in well-ventilated areas.

Eye:

Not expected to present a hazard at room temperature. Contact with sharp edges may result in cuts. Fumes or vapors emitted at elevated temperature may cause irritation.

Skin:

Not expected to present a hazard at room temperature. Contact with sharp edges may result in cuts. Sensitive individuals may experience slight dryness following contact with the product.

Skin Absorption:

Not expected to be a signification exposure route.

Inhalation:

Not expected to present an inhalation hazard at room temperature. Fumes or vapors emitted at elevated temperatures may cause irritation of the nose, throat, and respiratory tract. Symptoms may include sore throat, coughing, or labored breathing, depending upon the concentration and duration of exposure. See "Note" above.

Ingestion:

Ingestion of large amount may pose choking hazard and cause irritation to the mouth, throat and gastrointestinal tract. Contact with sharp edges may cut the inside of the mouth.

Chronic Effects/Special Toxic Effects

No specific data on this product. Prolonged and repeated exposure to fumes or vapors emitted during some application at elevated temperature may be harmful. See "note" above.

IARC, NTP or OSHA Carcinogen:

Not listed.

Medical Conditions Aggravated by Exposure;

Pre-Existing medical conditions that may be aggravated by exposure include disorders of the skin and respiratory tract.

Section 4. First Aid Measures

Eye:

If exposed to excessive amounts of fumes or vapors, flush eyes with plenty of water for at least 15 minutes, occasionally lifting the eye lids to ensure thorough rinsing. Get medical attention if irritation develops or persists. Cuts or abrasions require immediate medical attention.

Skin:

Cuts or abrasion may require immediate medical attention. Depending upon the severity.

Inhalation:

If overcome from exposure to excessive amounts of fumes or vapors, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Keep warm and at rest get immediate medical attention.

Ingestion:

In the unlikely event of swallowing large amounts of this material, get medical attention.

Note to Physician:

None.

Section 5 Fire Fighting Measures

Autoignition Temperature:

>500oF(based on film)

Flash Point:

Not applicable; product will burn if exposed to flame.

LEL: NA **UEL:** NA

Extinguishing Media:

Use foam, carbon dioxide, or water spray when fighting fires involving this material.

Fire Fighting Instructions:

Avoid breathing irritating and potentially toxic fumes or vapors. In large fires, fire fighters should wear NIOSH/MSHA-approved positive pressure breathing apparatus (SCBA) with full-face mask and full protective equipment.

Unusual Hazards:

Combustion of this material will result in the emission of irritating and toxic fumes. See Section 10 for additional information.

Section 6. Accidental Release Measures

Spill or Release Procedures:

NA. Product is supplied in solid rolls.

Waste Disposal Methods:

Dispose in accordance with Federal, State and Local regulations.

Section 7 Handling and Storage

Handling:

Lift with proper handling technique.

Storage:

Store in cool, dry area.

Section 8. Exposure Control/Personal Protection

PERSONAL PROTECTIVE EQUIPMENT

Eye/Face Protection:

Safety glasses to prevent abrasions or cuts.

Skin Protection:

Cotton or leather gloves to prevent abrasions or cuts.

Respiratory protection:

Normally not needed in well-ventilated areas. If working in confined space with inadequate ventilation, respirator may be required. Use an NIOSH/MSHA approved, air-purifying respirator.

General:

None

Ventilation:

Provide adequate ventilation when applying films for extended periods of time in enclosed areas.

Exposure Guidelines:

See Section 2 for component materials.

Other Information:

NA

Section 9. Physical and Chemical Properties

Appearance and Odor:

Roll of adhesive-coated plastic film with polypropylene liner; variety of colors; faint, mild odor.

Boiling Point:

NA

PH:

NA

Melting Point:

NA

Specific Gravity:

NA

Vapor Pressure:

NA

Vapor Density (Air=1):

NA

Solubility in Water:

Insoluble.

Evaporation Rate (Butyl Acetate=1):

NA

Other Physical and Chemical Data:

None

Section 10 Stability and Reactivity

Chemical Stability:

Stable under recommended storage conditions (see section &)

Incompatibility with Other materials:

Elevated temperatures, heat and sparks.

Hazard Decomposition Products:

Smoke may contain the original materials in addition to unidentified toxic and/or irritating compound. Hazardous decomposition products may include but are not limited to: plastic monomers, solvents, hydrogen chlorides, metal oxides, carbon monoxide, carbon dioxide, and traces of incompletely burned products.

Hazardous Polymerization:

Will not occur.

Section 11. Toxicological Information

No specific data on this product. See Section 3 for potential health effects. For questions, write or call the address or number shown in Section 1.

Section 12. Ecological Information

No specific data on this product.

Section 13 Disposal considerations

Dispose in accordance with Federal, State, and Local regulations.

Section 14. Transport Information

Proper Shipping Name:

Not regulated.

DOT Hazard Classification:

NA

UN/NA Number:

Not applicable.

DOT Labeling Requirements:

Not applicable

Section 15. Regulatory Information

Toxic Substances Control Act (TSCA):

Complies with TSCA Inventory requirements.

Superfund Amendments and Reauthorization Act of 1986 (SARA):

Section 302 Extremely Hazardous Substances:

None.

Section 311/312 Hazard Categories:

None.

Section 313 Information:

None.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

None

California Proposition 65:

This product may contain trace amounts of a chemical (toluene) known to the State of California to cause reproductive effects.

Section 16. Other Information

None.

Disclaimer of Liability:

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability or damages incurred by the use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards, which exist. Final determinant of suitability of this material is the sole responsibility of the user. No representation or warranties, either expressed or implied, or MERCHANTABILITY, fitness for a particular purpose or any other nature are made hereunder with respect to the information contained herein or the material to which the information refers. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.